



CODING TABLE

STAR RNAV OBLEB 1A RWY 31					BELO HORIZONTE / Pampulha – Carlos Drummond de Andrade (SBBH)							SBBH_STAR_01C		25 FEB 21	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role of the Fix	Navigation Specification
TRNS DAKDA															
10	DAKDA	N/A	N/A	DAKDA	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	DAKDA	N	N/A	BH083	TF	359.59° Mag 336.45° True	N/A	N/A	N/A	N/A	N/A	27.5	N/A	OTHER	RNAV 1 or RNP 1
30	DAKDA	N	N/A	BH034	TF	359.62° Mag 336.51° True	N/A	N/A	+15000	N/A	N/A	23.6	N/A	OTHER	RNAV 1 or RNP 1
40	DAKDA	N	N/A	BH036	TF	359.65° Mag 336.56° True	N/A	N/A	-10000	N/A	N/A	17.2	N/A	OTHER	RNAV 1 or RNP 1
50	DAKDA	N	N/A	OBLEB	TF	359.65° Mag 336.58° True	L	N/A	=9000	N/A	N/A	11.1	N/A	OTHER	RNAV 1 or RNP 1
TRNS MANDU															
10	MANDU	N/A	N/A	MANDU	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	MANDU	N	N/A	BH081	TF	248.82° Mag 225.45° True	N/A	N/A	N/A	N/A	N/A	17.8	N/A	OTHER	RNAV 1 or RNP 1
30	MANDU	N	N/A	NIPDA	TF	248.83° Mag 225.58° True	L	N/A	+15000	N/A	N/A	31.3	N/A	OTHER	RNAV 1 or RNP 1
40	MANDU	N	N/A	BH032	TF	254.72° Mag 231.54° True	R	N/A	-10000	N/A	N/A	15.7	N/A	OTHER	RNAV 1 or RNP 1
50	MANDU	N	N/A	BH033	TF	254.63° Mag 231.50° True	N/A	N/A	N/A	N/A	N/A	11.2	N/A	OTHER	RNAV 1 or RNP 1
60	MANDU	N	N/A	OBLEB	TF	254.72° Mag 231.65° True	R	N/A	=9000	N/A	N/A	12.1	N/A	OTHER	RNAV 1 or RNP 1
TRNS POSMU															
10	POSMU	N/A	N/A	POSMU	IF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	POSMU	N	N/A	BH081	TF	229.60° Mag 206.60° True	N/A	N/A	N/A	N/A	N/A	35.4	N/A	OTHER	RNAV 1 or RNP 1
30	POSMU	N	N/A	NIPDA	TF	248.83° Mag 225.58° True	R	N/A	+15000	N/A	N/A	31.3	N/A	OTHER	RNAV 1 or RNP 1

40	POSMU	N	N/A	BH032	TF	254.72° Mag 231.54° True	R	N/A	-10000	N/A	N/A	15.7	N/A	OTHER	RNAV 1 or RNP 1
50	POSMU	N	N/A	BH033	TF	254.63° Mag 231.50° True	N/A	N/A	N/A	N/A	N/A	11.2	N/A	OTHER	RNAV 1 or RNP 1
60	POSMU	N	N/A	OBLEB	TF	254.72° Mag 231.65° True	L	N/A	=9000	N/A	N/A	12.1	N/A	OTHER	RNAV 1 or RNP 1
TRNS NIPDA															
10	NIPDA	N/A	N/A	NIPDA	IF	N/A	N/A	N/A	+15000	N/A	N/A	N/A	N/A	OTHER	RNAV 1
20	NIPDA	N	N/A	BH032	TF	254.72° Mag 231.54° True	R	N/A	-10000	N/A	N/A	15.7	N/A	OTHER	RNAV 1 or RNP 1
30	NIPDA	N	N/A	BH033	TF	254.63° Mag 231.50° True	N/A	N/A	N/A	N/A	N/A	11.2	N/A	OTHER	RNAV 1 or RNP 1
40	NIPDA	N	N/A	OBLEB	TF	254.72° Mag 231.65° True	R	N/A	=9000	N/A	N/A	12.1	N/A	OTHER	RNAV 1 or RNP 1
RWY 31															
10	OBLEB	N/A	N/A	OBLEB	IF	N/A	N/A	N/A	=9000	N/A	N/A	N/A	N/A	OTHER	RNAV 1 or RNP 1
20	OBLEB	N	N/A	OGRET	TF	293.13° Mag 270.10° True	N/A	N/A	+8000	210	-	7.0	N/A	IAF	RNAV 1 or RNP 1

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
MANDU	S 19:04:48.00W 42:29:57.60
POSMU	S 18:45:28.80W 42:26:53.40
BH081	S 19:17:21.60W 42:43:22.80
BH083	S 20:51:33.00W 43:17:24.00
NIPDA	S 19:39:22.80W 43:07:01.20
BH032	S 19:49:12.00W 43:20:03.60
BH033	S 19:56:10.80W 43:29:19.80
DAKDA	S 21:16:52.47W 43:05:37.07
BH034	S 20:29:48.00W 43:27:27.00
BH036	S 20:13:55.80W 43:34:45.00
OBLEB	S 20:03:44.40W 43:39:25.80
OGRET	S 20:03:43.80W 43:46:50.40

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT