CODING TABLE

This table supplements information contained in the chart to which it is associated. In spite of the fact the classification of waypoints (fly-by / flyover), courses, distances, altitudes, level and speed restrictions are mandatory, the providers may use the information as they find appropriate in order to code procedures. In other words, in case any particular coding is applied, it is mandatory for it to reflect the procedure published in the chart.

Identification	Aerodrome	Chart Code	AIRAC AMDT
STAR RNAV IRUMO 1A RWY 11	MANAUS / Eduardo Gomes, INTL (SBEG)	SBEG_STAR_01H	05 DEC 19

Seq	Transition	Path Terminator	Navaid / Fix / WPT	Function	Flyover (Y/N)	Navaid	Course Mag (True)	Dist (NM)	Turn (L/R)	IAS (KT)	Altitude (FT)	Gradient (%)	Perform.
TRNS ESMAR													
010	Enroute	IF	ESMAR	---	N	---	---	---	---	---	---	---	RNAV 1 or RNP 1
020	Enroute	TF	ISETU	---	N	---	311 (294.5)	158.5	---	---	---	---	RNAV 1 or RNP 1
030	Enroute	TF	POSTU	---	N	---	311 (294.5)	10.0	---	---	---	---	RNAV 1 or RNP 1
040	Enroute	TF	IRUMO	---	N	---	328 (312.6)	42.7	R	---	---	---	RNAV 1 or RNP 1
TRNS ISIPA													
010	Enroute	IF	ISIPA	---	N	---	---	---	---	---	---	---	RNAV 1 or RNP 1
020	Enroute	TF	IRUMO	---	N	---	010 (354.6)	30.5	---	---	---	---	RNAV 1 or RNP 1

010	Common	IF	IRUMO	---	N	---	---	---	---	---	---	---	RNAV 1 or RNP 1
020	Common	TF	KOKPA	---	N	---	010 (354.6)	23.7	---	---	---	---	RNAV 1 or RNP 1
030	Common	TF	RACAN	---	N	---	352 (336.6)	16.2	L	---	---	---	RNAV 1 or RNP 1
040	Common	TF	ULVOM	---	N	---	352 (336.6)	5.5	---	---	-8000	---	RNAV 1 or RNP 1
050	Common	TF	VURIV	---	N	---	352 (336.6)	5.0	---	---	---	---	RNAV 1 or RNP 1
060	Common	TF	ARSOS	IAF	N	---	355 (339.0)	10.0	R	---	+4000	---	RNAV 1 or RNP 1

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
ESMAR	S 05:44:52.20W 56:52:03.60
ISETU	S 04:39:13.40W 59:16:44.73
POSTU	S 04:35:03.77W 59:25:51.59
IRUMO	S 04:06:01.80W 59:57:18.00
ISIPA	S 04:36:30.66W 59:54:25.51
KOKPA	S 03:42:21.60W 59:59:31.20
RACAN	S 03:27:22.72W 60:05:58.41
ULVOM	S 03:22:20.62W 60:08:08.49

VURIV	S 03:17:43.94W 60:10:07.61
ARSOS	S 03:08:19.25W 60:13:43.26

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
=	MANDATORY
	RECOMMENDED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
W	WINDOW