



CODING TABLE

SID BIGOD 1B RWY24					RIO BRANCO / Plácido de Castro (SBRB)							SBRB_SID_00S		31 DEC 20	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N	RCO	N/A	CA	246.78° Mag 236.78° True	N/A	N/A	+1500	230	-	N/A	N/A	OTHER	N/A
20	BIGOD	Y	RCO	RCO	DF	N/A	L	N/A	N/A	230	-	N/A	N/A	OTHER	N/A
30	BIGOD	N	RCO	BIGOD	CF	84.44° Mag 73.83° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

SID DADED 1B RWY24					RIO BRANCO / Plácido de Castro (SBRB)							SBRB_SID_00S		31 DEC 20	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N	RCO	N/A	CA	246.78° Mag 236.78° True	N/A	N/A	+1500	230	-	N/A	N/A	OTHER	N/A
20	DADED	Y	RCO	RCO	DF	N/A	R	N/A	N/A	230	-	N/A	N/A	OTHER	N/A
30	DADED	N	RCO	DADED	CF	115.94° Mag 105.16° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

SID FILHO 1B RWY24					RIO BRANCO / Plácido de Castro (SBRB)							SBRB_SID_00S		31 DEC 20	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N	RCO	N/A	CA	246.78° Mag 236.78° True	N/A	N/A	+1500	230	-	N/A	N/A	OTHER	N/A
20	FILHO	Y	RCO	RCO	DF	N/A	R	N/A	N/A	230	-	N/A	N/A	OTHER	N/A
30	FILHO	N	RCO	FILHO	CF	119.77° Mag 109.06° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

SID FLOTE 1B RWY24					RIO BRANCO / Plácido de Castro (SBRB)							SBRB_SID_00S		31 DEC 20	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N	RCO	N/A	CA	246.78° Mag 236.78° True	N/A	N/A	+1500	230	-	N/A	N/A	OTHER	N/A
20	FLOTE	Y	RCO	RCO	DF	N/A	R	N/A	N/A	230	-	N/A	N/A	OTHER	N/A
30	FLOTE	N	RCO	FLOTE	CF	127.73° Mag 117.12° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

SID PUNPA 1B RWY24					RIO BRANCO / Plácido de Castro (SBRB)							SBRB_SID_00S		31 DEC 20	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N	RCO	N/A	CA	246.78° Mag 236.78° True	N/A	N/A	+1500	230	-	N/A	N/A	OTHER	N/A
20	PUNPA	Y	RCO	RCO	DF	N/A	L	N/A	N/A	230	-	N/A	N/A	OTHER	N/A
30	PUNPA	N	RCO	PUNPA	CF	60.60° Mag 50.05° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

SID VILUX 1B RWY24					RIO BRANCO / Plácido de Castro (SBRB)							SBRB_SID_00S		31 DEC 20	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N	RCO	N/A	CA	246.78° Mag 236.78° True	N/A	N/A	+1500	230	-	N/A	N/A	OTHER	N/A
20	VILUX	N	RCO	N/A	VI	093.00° Mag 083.01° True	L	N/A	N/A	230	-	N/A	N/A	OTHER	N/A
30	VILUX	N	RCO	VILUX	CF	159.03° Mag / 148.81° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (FT)
24	S 09:52:27.58 W 67:54:07.91	633 ft MSL

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
RCO	S 09:52:33.54 / W 067:54.19.37
PUNPA	S 09:25:05.40 / W 067:21:13.20
BIGOD	S 09:40:40.20 / W 067:12:49.80
DADED	S 10:08:58.20 / W 066:53:58.20
FILHO	S 10:11:42.60 / W 066:58:38.40
FLOTE	S 10:17:20.40 / W 067:05:39.00
VILUX	S 10:28:32.40 / W 067:32:21.60

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT