



## CODING TABLE

IAC ILS R OR LOC R RWY 15					RIO DE JANEIRO / Galeão – Antônio Carlos Jobim, INTL (SBGL)							SBGL_JAC_04P		31 DEC 20	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role of the Fix	Navigation Specification
10	APPROACH	N	N/A	UTBOM	IF	N/A	N/A	N/A	+6300	N/A	N/A	N/A	N/A	IAF	---
20	APPROACH	N	CXI	CXI16*	CF	148.82° Mag	N/A	N/A	+5900	N/A	N/A	1.03	N/A	OTHER	---
30	APPROACH	N	CXI	CXI05*	CF	148.87° Mag	N/A	N/A	+5400	N/A	N/A	1.97	N/A	OTHER	---
40	APPROACH	N	CXI	EGBAT	CF	149.06° Mag	N/A	N/A	+3300	N/A	N/A	4.50	N/A	IF	---
10	APPROACH	N	N/A	EGDUT	IF	N/A	N/A	N/A	+6300	N/A	N/A	N/A	N/A	OTHER	---
20	APPROACH	Y	N/A	CXI16*	AF	301.62° Mag	R	N/A	+5900	N/A	N/A	7.96	N/A	OTHER	---
30	APPROACH	N	CXI	CXI05*	CF	148.87° Mag	N/A	N/A	+5400	N/A	N/A	1.97	N/A	OTHER	---
40	APPROACH	N	IJB	EGBAT	CF	148.66° Mag	N/A	N/A	+3300	N/A	N/A	4.50	N/A	IF	---
10	FINAL	N	N/A	EGBAT	IF	N/A	N/A	N/A	+3300	N/A	N/A	N/A	N/A	IF	---
20	FINAL	N	IJB	ROBOL	CF	148.68° Mag	N/A	N/A	+1710	N/A	N/A	4.96	N/A	FAF	---
30	FINAL	N	IJB	RWY15	CF	148.67° Mag	N/A	N/A	@68	230.00	-	5.11	-3.00	LTP/FTP	---
10	MA	N	N/A	N/A	VA	148.67° Mag	N/A	N/A	+500	N/A	N/A	3.75	N/A		---
20	MA	N	CXI	UTKUP	CF	114.73° Mag	L	N/A	+1300	N/A	N/A	5.66	N/A	OTHER	---
30	MA	N	CXI	GL079	CF	114.71° Mag	N/A	N/A	@4000.00	N/A	N/A	8.03	N/A	OTHER	---
40	MA	N	CXI	SISER	CF	114.70° Mag	N/A	N/A	@5000.00	N/A	N/A	7.00	N/A	MAHF	---
50	MA	N	CXI	SISER	HM	294.70° Mag	L	N/A	+5000.00	N/A	N/A	4.23	N/A	MAHF	---

(\* ) Fictitious point only for coding purpose.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
EGBAT	S 22:42:54.60W 43:24:37.20
ROBOL	S 22:45:48.19W 43:20:15.29
RWY15	S 22:48:47.14W 43:15:45.57
UTBOM	S 22:38:31.80W 43:31:13.20
CXI16*	S 22:39:07.89W 43:30:18.86
CXI05*	S 22:40:16.89W 43:28:34.93
EGDUT	S 22:46:27.00W 43:33:34.20
UTKUP	S 22:49:16.80W 43:06:56.40
GL079	S 22:49:31.40W 42:58:17.05
SISER	S 22:49:43.80W 42:50:42.60

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT