



CODING TABLE

IAC VOR RWY 33					RIO DE JANEIRO / Galeão – Antônio Carlos Jobim, INTL (SBGL)							SBGL_IAC_00X		31 DEC 20	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	OPSID	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	IAF	N/A
20	APCH	N/A	CXI	VULOV	AF	N/A	R	N/A	+3600	N/A	N/A	N/A	N/A	IF	N/A
10	FINAL	N/A	N/A	VULOV	IF	N/A	N/A	N/A	+3600	N/A	N/A	N/A	N/A	IF	N/A
20	FINAL	N/A	CXI	CXI31*	CF	325.74° Mag 303.54° True	N/A	N/A	+1700	N/A	N/A	3.19	N/A	SDF	N/A
30	FINAL	N/A	CXI	VUNOR	CF	325.74° Mag 303.54° True	N/A	N/A	R1660	N/A	N/A	3.00	N/A	FAF	N/A
40	FINAL	N/A	CXI	CXI29*	CF	325.75° Mag 303.56° True	N/A	N/A	R705	N/A	N/A	3.00	-3.00	SDF	N/A
50	FINAL	N/A	CXI	CXI30*	CF	325.72° Mag 303.53° True	N/A	N/A	@62	N/A	N/A	2.00	-3.00	LTP/FTP	N/A
10	MA	N/A	N/A	N/A	VA	325.72° Mag 302.76° True	N/A	N/A	+1000	210	-	N/A	2.58	OTHER	N/A
20	MA	N/A	CXI	ENSAR	CF	280.47° Mag 259.05° True	L	N/A	+4100	210	-	N/A	2.58	OTHER	N/A
30	MA	N/A	N/A	N/A	VI	60.00° Mag 37.11° True	R	N/A	+6000	N/A	N/A	N/A	2.58	OTHER	N/A
40	MA	N/A	PCX	IVTAL	CF	114.42° Mag 91.42° True	R	N/A	+6000	N/A	N/A	N/A	2.58	MAHF	N/A
50	MA	N/A	PCX	IVTAL	HM	114.42° Mag 91.42° True	R	N/A	+6000	N/A	N/A	1.00 min	N/A	MAHF	N/A

(*) Fictitious point = for coding purpose only.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
VULOV	S 22:55:49.80W 43:04:12.60
VUNOR	S 22:52:27.56W 43:09:50.40
CXI29	S 22:50:49.92W 43:12:34.36
CXI30	S 22:49:44.70W 43:14:23.57
CXI31	S 22:54:05.21W 43:07:06.41
OPSID	S 22:51:52.15W 43:02:24.59
ENSAR	S 22:51:34.20W 43:28:52.80
IVTAL	S 22:42:22.06W 43:16:09.98

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT