



CODING TABLE

SID BIGOD 2A RWY 06					RIO BRANCO / Plácido de Castro (SBRB)							SBRB_SID_00R	31 DEC 20		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N	RCO	N/A	CA	67.47° Mag / 57.38° True	N/A	N/A	+1100	N/A	N/A	N/A	N/A	OTHER	N/A
20	BIGOD	N	RCO	BIGOD	CF	84.44° Mag / 73.83° True	N/A	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

SID DADED 1A RWY 06					RIO BRANCO / Plácido de Castro (SBRB)							SBRB_SID_00R	31 DEC 20		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N	RCO	N/A	CA	67.47° Mag / 57.38° True	N/A	N/A	+1100	N/A	N/A	N/A	N/A	OTHER	N/A
20	DADED	N	RCO	N/A	VR	156.00° Mag / 145.91° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	DADED	N	RCO	DADED	CF	115.94° Mag / 105.16° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

SID FILHO 2A RWY 06					RIO BRANCO / Plácido de Castro (SBRB)							SBRB_SID_00R	31 DEC 20		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N	RCO	N/A	CA	67.47° Mag / 57.38° True	N/A	N/A	+1100	N/A	N/A	N/A	N/A	OTHER	N/A
20	FILHO	N	RCO	N/A	VR	164.00° Mag / 153.91° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	FILHO	N	RCO	FILHO	CF	119.77° Mag / 109.06° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

SID FLOTE 2A RWY 06					RIO BRANCO / Plácido de Castro (SBRB)							SBRB_SID_00R	31 DEC 20		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N	RCO	N/A	CA	67.47° Mag / 57.38° True	N/A	N/A	+1100	N/A	N/A	N/A	N/A	OTHER	N/A
20	FLOTE	N	RCO	N/A	VR	195.00° Mag / 184.91° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	FLOTE	N	RCO	FLOTE	CF	127.73° Mag / 117.12° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

SID PUNPA 1A RWY 06					RIO BRANCO / Plácido de Castro (SBRB)							SBRB_SID_00R	31 DEC 20		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N	RCO	N/A	CA	67.47° Mag / 57.38° True	N/A	N/A	+1100	N/A	N/A	N/A	N/A	OTHER	N/A
20	PUNPA	N	RCO	PUNPA	CF	60.60° Mag / 50.05° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

SID VILUX 2A RWY 06					RIO BRANCO / Plácido de Castro (SBRB)							SBRB_SID_00R	31 DEC 20		
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	RWY	N	RCO	N/A	CA	67.47° Mag / 57.38° True	N/A	N/A	+1100	N/A	N/A	N/A	N/A	OTHER	N/A
20	VILUX	N	RCO	N/A	VR	231.00° Mag / 221.03° True	R	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A
30	VILUX	N	RCO	VILUX	CF	159.03° Mag / 148.81° True	L	N/A	N/A	N/A	N/A	N/A	N/A	OTHER	N/A

DER	Latitude / Longitude (WGS84) DD:MM:SS.SS	Elevation (FT)
RWY 06	S 09:51:49.46 W 67:53:08.42	597 ft MSL

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
RCO	S 09:52:33.54 / W 067:54.19.37
PUNPA	S 09:25:05.40 / W 067:21:13.20
BIGOD	S 09:40:40.20 / W 067:12:49.80
DADED	S 10:08:58.20 / W 066:53:34.80
FILHO	S 10:11:42.60 / W 066:58:38.40
FLOTE	S 10:17:20.40 / W 067:05:39.00
VILUX	S 10:28:32.40 / W 067:32:21.60

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT