



## CODING TABLE

IAC ILS G ou/ or LOC G RWY 27R				SÃO PAULO / Guarulhos – Gov. André Franco Montoro, INTL (SBGR)							SBGR_IAC_01X			31 DEC 20		
Seq Num	IAP Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Arc Radius	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role of the Fix	Navigation Specification
10	ANSUG	N	N/A	ANSUG	N/A	IF	N/A	N/A	N/A	+7000	N/A	N/A	N/A	N/A	IAF	N/A
20	ANSUG	N	SAT	EDPAM	N/A	CF	200.81° Mag 179.16° True	N/A	N/A	+5700	N/A	N/A	6.20	N/A	IF	N/A
10	VURAK	N	N/A	VURAK	N/A	IF	N/A	N/A	N/A	+7000	N/A	N/A	N/A	N/A	IAF	N/A
20	VURAK	N	BCO	EDPAM	N/A	CF	275.34° Mag 253.58° True	N/A	N/A	+5700	N/A	N/A	6.00	N/A	IF	N/A
10	FINAL	N	N/A	EDPAM	N/A	IF	N/A	N/A	N/A	+5700	N/A	N/A	N/A	N/A	IF	N/A
20	FINAL	N	IGS	GR046	N/A	CF	275.26° Mag 253.64° True	N/A	N/A	R4090	N/A	N/A	5.10	N/A	FAF	N/A
30	FINAL	N	IGS	GR021	N/A	CF	275.26° Mag 252.86° True	N/A	N/A	R3137	N/A	N/A	3.00	N/A	SDF	N/A
40	FINAL	Y	IGS	RW27R	N/A	CF	275.25° Mag 253.67° True	N/A	N/A	@2500	N/A	N/A	2.00	-3.00	LTP/FTP	N/A
10	MA	N	N/A	N/A	N/A	VA	275.21° Mag 253.64° True	N/A	N/A	+4500	N/A	N/A	N/A	2.86	N/A	N/A
20	MA	Y	STN	ANSUG	N/A	CF	091.67° Mag 070.21° True	R	N/A	+7000	N/A	N/A	N/A	N/A	N/A	N/A
30	MA	Y	STN	ANSUG	N/A	HM	200.81° Mag 179.16° True	L	N/A	+7000	N/A	N/A	N/A	N/A	MAHF	N/A

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
GR021	S 23:24:56.31W 46:24:51.85
STN	S 23:29:15.15W 46:55:23.91
IGS	S 23:26:08.00W 46:29:17.00
SAT	S 23:58:59.33W 46:15:48.02
EDPAM	S 23:22:39.00W 46:16:24.60
GR046	S 23:24:05.40W 46:21:43.80
ANSUG	S 23:16:25.75W 46:16:30.86
VURAK	S 23:20:56.81W 46:10:09.57
RW27R	S 23:25:30.17W 46:26:57.06

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
FROP	FINAL APPROACH ROLLOUT POINT
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT