



CODING TABLE

IAC RNAV (GNSS) RWY 21					MARÍLIA / Frank Miloye Milenkovich (SBML)							SBML_IAC_00E		03 DEC 20	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N	N/A	ML009	IF	N/A	N/A	N/A	+5500	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	ML007	TF	213.57° Mag / 193.22° True	N/A	N/A	+4500	N/A	N/A	5.00	N/A	IF	RNP APCH
10	APCH	N	N/A	ML008	IF	N/A	N/A	N/A	+5500	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	ML007	TF	143.54° Mag / 123.25° True	N/A	N/A	+4500	N/A	N/A	6.00	N/A	IF	RNP APCH
10	APCH	N	N/A	ML011	IF	N/A	N/A	N/A	+5500	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	ML007	TF	283.68° Mag / 263.30° True	N/A	N/A	+4500	N/A	N/A	6.00	N/A	IF	RNP APCH
10	FINAL	N	N/A	ML007	IF	N/A	N/A	N/A	+4500	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	ML012	TF	213.54° Mag / 193.19° True	N/A	N/A	R3720	N/A	N/A	5.01	N/A	FAF	RNP APCH
30	FINAL	N	N/A	* ML021	TF	213.54° Mag / 193.19° True	N/A	N/A	+2530	N/A	N/A	3.00	-3.00	SDF	RNP APCH
40	FINAL	Y	N/A	RWY 21	TF	213.56° Mag / 193.26° True	N/A	N/A	@2127	N/A	N/A	2.00	-3.00	MAPT	RNP APCH
10	MA	Y	N/A	ML004	TF	213.50° Mag / 193.23° True	N/A	N/A	+5500	N/A	N/A	10.91	N/A	MAHF	RNP APCH
20	MA	Y	N/A	ML004	HM	34.00° Mag / 13.78° True	R	N/A	+5500	230	-	1.00 min	0.00	MAHF	RNP APCH

(*) Fictitious Point = for coding purpose only.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
ML004	S 22:22:01.20W 49:58:10.20
ML007	S 22:01:35.40W 49:53:00.60
ML008	S 21:58:17.40W 49:58:24.60
ML009	S 21:56:42.60W 49:51:46.80
ML011	S 22:00:53.40W 49:46:36.00
ML012	S 22:06:28.80W 49:54:14.40
ML021	S 22:09:24.32W 49:54:58.81
RWY 21	S 22:11:21.64W 49:55:28.51

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT