



CODING TABLE

IAC RNAV(GNSS) Y RWY 33					RIO DE JANEIRO / Galeão-Antônio Carlos Jobim, INTL (SBGL)							SBGL_IAC_00S		03 DEC 20	
Seq Num	Transition Identifier	Fly Over	Rec Navaid	Fix Ident	Path and Terminator	Course Angle	Turn	Upper Limit Altitude (FT)	Lower Limit Altitude (FT)	Speed Limit (KT)	Speed Limit Description	TM DST (NM)	VA (°)	Role of the Fix	Navigation Specification
10	APCH	N/A	N/A	OPSID	IF	N/A	N/A	N/A	+5000	N/A	N/A	N/A	N/A	IAF	RNP APCH
20	APCH	N	N/A	VULRI	TF	240.65° Mag 217.65° True	N/A	N/A	+3100	N/A	N/A	4.66	N/A	IF	RNP APCH
10	FINAL	N/A	N/A	VULRI	IF	N/A	N/A	N/A	+3100	N/A	N/A	N/A	N/A	IF	RNP APCH
20	FINAL	N	N/A	GL029*	TF	328.43° Mag 305.44° True	N/A	N/A	+1700	N/A	N/A	3.00	N/A	SDF	RNP APCH
30	FINAL	N	N/A	GL153	TF	328.44° Mag 305.45° True	N/A	N/A	R1680	N/A	N/A	2.00	N/A	FAF	RNP APCH
40	FINAL	N	N/A	GL025*	TF	328.49° Mag 305.51° True	N/A	N/A	+720	N/A	N/A	3.00	-3.00	SDF	RNP APCH
50	FINAL	Y	N/A	RWY33*	TF	328.49° Mag 305.52° True	N/A	N/A	@62	N/A	N/A	2.07	-3.00	LTP/FTP	RNP APCH
10	MA	N/A	N/A	N/A	VA	328.49° Mag 305.52° True	N/A	N/A	+1000	200	-	N/A	2.29	N/A	RNP APCH
20	MA	Y	N/A	ENSAR	DF	N/A	L	N/A	+4100	200	-	N/A	2.29	OTHER	RNP APCH
30	MA	Y	N/A	IVTAL	DF	N/A	R	N/A	+6000	N/A	N/A	N/A	2.29	MAHF	RNP APCH
40	MA	Y	N/A	IVTAL	HM	98.00° Mag 75.02° True	R	N/A	+6000	N/A	N/A	N/A	N/A	MAHF	RNP APCH

(*) Fictitious Point = for coding purpose only.

Ident	Latitude / Longitude (WGS84) DD:MM:SS.SS
VULRI	S 22:55:34.20W 43:05:29.40
GL153	S 22:52:39.65W 43:09:54.13
GL025	S 22:50:54.77W 43:12:32.80
GL029	S 22:53:49.48W 43:08:08.26
RWY33	S 22:49:42.55W 43:14:21.99
ENSAR	S 22:51:34.20W 43:28:52.80
IVTAL	S 22:42:22.06W 43:16:09.98
OPSID	S 22:51:52.15W 43:02:24.59

COD	Meaning
+	AT OR ABOVE
-	AT OR BELOW
@	AT
R	RECOMMENDED
B	BETWEEN
=	AS ASSIGNED
SDF	STEPDOWN FIX
Y	YES
N	NO
L	LEFT
R	RIGHT
N/A	NOT APPLICABLE
LTP	LANDING THRESHOLD POINT
FTP	FICTITIOUS THRESHOLD POINT